

INQUA PALAEOCLIMATE PROJECT
**'Land-Ocean Correlation of Long Records from the Southern Hemisphere at
Orbital and Sub-Orbital Scales'**

Bibliography
(current as of 30/11/06)

- Ahmad SM, Guichard F, Hardjawidjaksana K, Adisaputra MK, Labeyrie L. 1995. Late Quaternary Paleoceanography of the Banda Sea. *Marine Geology* **122**: 385-397.
- Anshari G. 2000. *Late Quaternary Vegetation and Environments in the Lake Sentarum Wildlife Reserve, West Kalimantan, Indonesia*. PhD thesis, Monash University.
- Anshari G, Kershaw AP, van der Kaars S. 2001. A Late Pleistocene and Holocene pollen and charcoal record from peat swamp forest, Lake Sentarum Wildlife Reserve, West Kalimantan, Indonesia. *Palaeogeography, Palaeoclimatology, Palaeoecology* **171**: 213-228.
- Anshari G, Kershaw AP, van der Kaars S, Jacobsen G. 2004. Environmental change and peatland forest dynamics in the Lake Sentarum area, West Kalimantan, Indonesia. *Journal of Quaternary Science* **19**: 637-655.
- Ayliffe LK, Marianelli PC, Moriarty KC, Wells RT, McCulloch MT, Mortimer GE, Hellstrom JC. 1998. 500 ka precipitation record from southeastern Australia: Evidence for interglacial relative aridity. *Geology* **26**: 147-150.
- Beaufort L, de Garidel-Thoron T, Linsley B, Oppo D, Buchet N. 2003. Biomass burning and oceanic primary production estimates in the Sulu Sea area over the last 380 kyr and the East Asian monsoon dynamics. *Marine Geology* **201**: 53-65.
- Bowler JM, Duller GAT, Perret N, Prescott JR, Wyrwoll KH. 1998. Hydrologic Changes in Monsoonal Climates of the Last Glacial Cycle: Stratigraphy and Luminescence Dating of Lake Woods, N.T., Australia. *Palaeoclimates Data and Modelling* **3**: 179-207.
- Bowler JM, Wyrwoll K-H, Lu Y. 2001. Variations of the northwest Australian summer monsoon over the last 300,000 years: the palaeohydrological record of the Gregory (Mulan) Lakes System. *Quaternary International* **83-85**: 63-80.
- Bühring C, Sarnthein M, Erlenkeuser H, eds. 2004. *Toward a high resolution stable isotope stratigraphy of the last 1.1 m.y.: Site 1144, South China Sea*: <http://www-odp.tamu.edu/publications/184_SR/VOLUME/CHAPTERS/205.PDF>.
- Caratini C, Tissot C. 1988. Paleogeographical evolution of the Mahakam Delta in Kalimantan, Indonesia during the Quaternary and Late Pliocene. *Review of Palaeobotany and Palynology* **55**: 217-228.
- Carter L, Manighetti B. 2006. Glacial/interglacial control of terrigenous and biogenic fluxes in the deep ocean off a high input, collisional margin: A 139 kyr-record from New Zealand.
- Chivas AR, García A, van der Kaars S, Couapel MJJ, Holt S, Reeves JM, Wheeler DJ, Switzer AD, Murray-Wallace CV, Banerjee D, Price DM, Wang SX, Pearson G, Edgar NT, Beaufort L, De Deckker P, Lawson E, Cecil CB. 2001. Sea-level and environmental changes since the last interglacial in the Gulf of Carpentaria, Australia: an overview. *Quaternary International* **83-85**: 19-46.

- Colhoun EA, Pola JS, Barton CE, Heijnis H. 1999. Late Pleistocene vegetation and climate history of Lake Selina, western Tasmania. *Quaternary International* **57/58**: 5-23.
- Colhoun EA, van der Geer G. 1986. Holocene to middle last glacial vegetation history at Tullabardine Dam, western Tasmania. *Proceedings of the Royal Society of London. Series B, Biological Sciences* **229**: 177-207.
- Colhoun EA, van der Geer G. 1988. Darwin Crater, the King and Linda Valleys. In *Cainozoic Vegetation of Tasmania*, Colhoun EA (eds). Department of Geography, The University of Newcastle: Newcastle, Australia; 30-71.
- Colhoun EA, van der Geer G. 1998. Pollen analysis of 0-20 m at Darwin Crater, Western Tasmania, Australia. In *International Project on Palaeolimnology and Late Cenozoic Climate Newsletter No. 11*, Horie S (eds).
- Cook EJ. 2006. *Late Quaternary Environments and Climate at Lakes Bolac and Turangmorohe, Western Victoria, Australia*. PhD thesis, Monash University.
- Cuthbertson AM. 1988. *Stable isotope stratigraphy of deepsea cores from the southwest Pacific region: Aspects of Late Quaternary palaeoceanography*. PhD thesis, University of Waikato.
- D'Costa DM. 1989. *Late Quaternary and Vegetation and Environments from Lake Terang, Western Victoria*. MSc thesis, Monash University.
- D'Costa DM. 1997. *The Reconstruction of Quaternary Vegetation and Climate on King Island, Bass Strait, Australia*. PhD thesis, Monash University.
- D'Costa DM, Grindrod J, Ogden R. 1993. Preliminary environmental reconstructions from late Quaternary pollen and mollusc assemblages at Egg Lagoon, King Island, Bass Strait. *Australian Journal of Ecology* **18**: 351-366.
- D'Costa DM, Kershaw AP. 1995. A Late Pleistocene and Holocene pollen record from Lake Terang, Western Plains of Victoria, Australia. *Palaeogeography, Palaeoclimatology, Palaeoecology* **113**: 57-67.
- de Garidel-Thoron T, Beaufort L, Linsley BK, Dannenmann S. 2001. Millennial-scale dynamics of the East Asian winter monsoon during the last 200,000 years. *Paleoceanography* **16**: 491-502.
- de Garidel-Thoron T, Rosenthal Y, Bassinot F, Beaufort L. 2005. Stable sea surface temperatures in the western Pacific warm pool over the past 1.75 million years. *Nature* **433**: 293-298.
- Dodson JR. 1977. Late Quaternary palaeoecology of Wylie Swamp, southeastern South Australia. *Quaternary Research* **8**: 97-114.
- Donders TH, Wagner F, Visscher H. 2006. Late Pleistocene and Holocene subtropical vegetation dynamics recorded in perched lake deposits on Fraser Island, Queensland, Australia. *Palaeogeography, Palaeoclimatology, Palaeoecology* **241**: 417-439.
- Edney PA. 1987. *Late Quaternary vegetation and environments from Lake Wangoom, western Victoria*. MA thesis, Monash University.
- Edney PA, Kershaw AP, De Deckker P. 1990. A late Pleistocene and Holocene vegetation and environment record from Lake Wangoom, Western Plains of Victoria, Australia. *Palaeogeography, Palaeoclimatology, Palaeoecology* **80**: 325-342.

- Elliot M, Neall V, Wallace C. 2005. A Late Quaternary pollen record from Lake Tangonge, far northern New Zealand. *Review of Palaeobotany and Palynology* **136**: 143- 158.
- Gingele FX, De Deckker P, Girault A, Guichard F. 2002. History of the South Java Current over the past 80 ka. *Palaeogeography, Palaeoclimatology, Palaeoecology* **183**: 247-260.
- Harle KJ. 1997. Late Quaternary vegetation and climate change in southeastern Australia: palynological evidence from marine core E55-6. *Palaeogeography, Palaeoclimatology, Palaeoecology* **131**: 465-483.
- Harle KJ. 1998. *Patterns of vegetation and climate change in southwest Victoria over approximately the last 200,00 years*. PhD thesis, Monash University.
- Harle KJ, Kershaw, A.P., Clayton, E. 2004. Patterns of Vegetation change in Southwest Victoria (Australia) over the last two glacial/interglacial cycles: evidence from lake Wangoom. *Proceedings of the Royal Society of Victoria* **116**: 107-139.
- Harle KJ, Heijnis H, Chisari R, Kershaw AP, Zoppi U, Jacobsen G. 2002. A chronology for the long pollen record from Lake Wangoom, western Victoria (Australia) as derived from uranium/thorium disequilibrium dating. *Journal of Quaternary Science* **17**: 707-720.
- Harle KJ, Kershaw AP, Heijnis H. 1999. The contributions of uranium/thorium and marine palynology to the dating of the Lake Wangoom pollen record, western plains of Victoria, Australia. *Quaternary International* **57/58**: 25-34.
- Heusser LE, van der Geer G. 1994. Direct correlation of terrestrial and marine paleoclimatic records from four glacial-interglacial cycles-DSDP site 594 Southwest Pacific. *Quaternary Science Reviews* **13**: 273-282.
- Hiramatsu C, De Deckker P. 1997. The late Quaternary calcareous nannoplankton assemblages from three cores from the Tasman Sea. *Palaeogeography, Palaeoclimatology, Palaeoecology* **131**: 391-412.
- Hope GS. 1996. Quaternary change and historical biogeography of Pacific Islands. In *The Origin and Evolution of Pacific Island Biotas, New Guinea to Eastern Polynesia: Patterns and Process*, Keast A, Miller SE (eds). SPB Publishing: Amsterdam; 165-190.
- Hope GS. 2001. Environmental change in the Late Pleistocene and later Holocene at Wanda site, Soroako, South Sulawesi, Indonesia. *Palaeogeography, Palaeoclimatology, Palaeoecology* **171**: 129-145.
- Hope GS, Pask J. 1998. Tropical vegetation change in the late Pleistocene of New Caledonia. *Palaeogeography, Palaeoclimatology, Palaeoecology* **142**: 1-21.
- Hope GS, Tulip J. 1994. A long vegetation history from lowland Irian Jaya, Indonesia. *Palaeogeography, Palaeoclimatology, Palaeoecology* **109**: 385-398.
- Johnson BJ, Miller GH, Fogel ML, Magee JW, Gagan M, Chivas A. 1999. 65,000 years of vegetation change in central Australia and the Australian summer monsoon. *Science* **284**: 1150-1152.
- Kershaw AP. 1976. A Late Pleistocene and Holocene pollen diagram from Lynch's Crater, northeastern Queensland, Australia. *New Phytologist* **77**: 469-498.
- Kershaw AP. 1985. An extended late Quaternary vegetation record from northeastern Queensland and its implications for the seasonal tropics of Australia. *Proceedings of the Ecological Society of Australia* **13**: 179-189.

- Kershaw AP. 1986. Climate change and Aboriginal burning through the last two glacial-interglacial cycles from northeastern Queensland. *Nature* **322**: 47-49.
- Kershaw AP, McKenzie GM, McMinn A. 1993. A Quaternary Vegetation History of Northeastern Queensland From Pollen Analysis of ODP Site 820. *Proceedings of the Ocean Drilling Program, Scientific Results* **133**: 107-114.
- Kershaw AP, van der Kaars S, Moss PT. 2003. Late Quaternary Milankovitch-scale climatic variability and its impact on the monsoon-influenced region of Australia. *Marine Geology* **201**: 81-95.
- Longmore ME. 1997. Quaternary Palaeoecological Records from Perched Lake Sediments, Fraser Island, Queensland, Australia: Rainforest, Forest History and Climatic Control. *Australian Journal of Botany* **45**: 507-526.
- Longmore ME, Heijnis H. 1999. Aridity in Australia: Pleistocene records of palaeoecological change from the Perched Lake sediments of Fraser Island, Queensland, Australia. *Quaternary International* **57-58**: 35-47.
- Luo Y, Chen H, Wu G, Sun X. 2001. Records of natural fire and climate history during the last three glacial-interglacial cycles around the South China Sea - Charcoal record from the ODP 1144. *Science in China (Series D)* **44**: 897-904.
- Magee JW, Bowler JM, Miller GH, Williams DLG. 1995. Stratigraphy, sedimentology, chronology and palaeohydrology of Quaternary lacustrine deposits at Madigan Gulf, Lake Eyre, South Australia. *Palaeogeography, Palaeoclimatology and Palaeoecology* **113**: 3-42.
- Magee JW, Miller GH, Spooner NA, Questiaux D. 2004. Continuous 150 k.y. monsoon record from Lake Eyre, Australia: Insolation-forcing implications and unexpected Holocene failure. *Geology* **32**: 885-888.
- McGlone MS, Topping WW. 1983. Late Quaternary vegetation, Tongariro region, central North Island, New Zealand. *New Zealand Journal of Botany* **21**: 53-76.
- McKenzie GM, Kershaw AP. 2000. The last glacial cycle from Wyelangta, the Otway region of Australia. *Palaeogeography, Palaeoclimatology, Palaeoecology* **155**: 177-193.
- Miller GH, Fogel ML, Magee JW, Gagan MK, Clarke SJ, Johnson BJ. 2005. Ecosystem Collapse in Pleistocene Australia and a Human Role in Megafaunal Extinction. *Science* **309**: 287-290.
- Moar NT, McKellar IC. 2001. Interglacial vegetation in South Westland, South Island, New Zealand. *New Zealand Journal of Geology and Geophysics* **44**: 17-24.
- Moar NT, Suggate RP. 1996. Vegetation history from the Kaihinu (Last) Interglacial to the present, west coast, South Island, New Zealand. *Quaternary Science Reviews* **15**: 532-547.
- Morley RJ, Morley HP, Wonders AAH, Sukarno, van der Kaars S. 2004. Biostratigraphy of Modern (Holocene and Late Pleistocene) Sediment Cores for the Makassar Straits. *Proceedings, Deepwater and Frontier Exploration in Asia & Australasia Symposium*:
- Moss PT. 1999. *Late Quaternary environments of the humid tropics of northeastern Australia*. PhD thesis, Monash University.
- Moss PT, Kershaw AP. 2000. The last glacial cycle from the humid tropics of northeastern Australia: comparison of a terrestrial and a marine record. *Palaeogeography, Palaeoclimatology, Palaeoecology* **155**: 155-176.

- Nelson CS, Cooke PJ, Hendy CH, Cuthbertson AM. 1993. Oceanographic and climate changes over the past 150,000 years at Deep Sea Drilling Project Site 594 off southeastern New Zealand, southwest Pacific Ocean. *Paleoceanography* **8**: 435-458.
- Nelson CS, Hendy CH, Cuthbertson AM, Jarrett GR. 1986. Late Quaternary carbonate and isotope stratigraphy, subantarctic Site 594, southwest Pacific. In *Initial Reports of the Deep Sea Drilling Project*, Kennett JP, von der Borch CC (eds). U.S. Government Printing Office: Washington, DC, USA; 1425-1436.
- Nelson CS, Hendy CH, Jarrett GR, Cuthbertson AM. 1985. Near-synchronicity of New Zealand alpine glaciations and Northern Hemisphere continental glaciations during the past 750 kyr. *Nature* **318**: 361-363.
- Newnham RM, Lowe DJ, Green JD, Turner GM, Harper MA, McGlone MS, Stout SL, Horie S, Froggatt PC. 2004. A discontinuous ca. 80 ka record of Late Quaternary environmental change from Lake Omapere, Northland, New Zealand. *Palaeogeography, Palaeoclimatology, Palaeoecology* **207**: 165-198.
- Okuda M, Schulmeister J, Flenley JR. 2002. Vegetation changes and their climatic interpretation for the Late Pleistocene at Lake Poukawa, Hawkes Bay, New Zealand. *Global and Planetary Change* **33**: 269-282.
- Passlow V. 1994. *Late Quaternary History of the Southern Ocean Offshore Southeastern Australia, Based on Deep-Sea Ostracoda*. PhD thesis, Australian National University.
- Passlow V, Wang P, Chivas AR. 1997. Late Quaternary palaeoceanography near Tasmania, southern Australia. *Palaeogeography, Palaeoclimatology, Palaeoecology* **131**: 433-463.
- Peerdeman FM, Davies PJ, Chivas AR. 1993. The stable oxygen isotope signal in shallow-water, upper-slope sediments off the Great Barrier Reef (Hole 820A). *Proceedings of the Ocean Drilling Program, Scientific Results* **133**: 163-173.
- Penny D. 2001. A 40,000 year palynological record from north-east Thailand; implications for biogeography and palaeo-environmental reconstruction. *Palaeogeography, Palaeoclimatology, Palaeoecology* **171**: 97-128.
- Pickett EJ. 1997. *The late Pleistocene and Holocene vegetation history of three lactustrine sequences from the Swan Coastal Plain, southwestern Australia*. PhD thesis, The University of Western Australia.
- Singh G, Geissler EA. 1985. Late Cainozoic history of vegetation, fire, lake levels and climate at Lake George, New South Wales, Australia. *Philosophical Transactions, Royal Society of London* **311**: 379-447.
- Singh G, Opdyke ND, Bowler JM. 1981. Late Cainozoic stratigraphy, palaeomagnetic chronology and vegetational history from Lake George, N.S.W. *Journal of the Geological Society of Australia* **28**: 435-452.
- Stevenson J, Hope GS. 2005. A comparison of late Quaternary forest changes in New Caledonia and northeastern Australia. *Quaternary Research* **64**: 372-383.
- Sun X, Li X. 1999. A pollen record of the last 37 ka in deep sea core 17940 from the northern slope of the South China Sea. *Marine Geology* **156**: 227-244.
- Sun X, Li X, Luo Y, Chen X. 2000. The vegetation and climate on the emerged continental shelf of the South China Sea. *Palaeogeography, Palaeoclimatology, Palaeoecology* **160**: 301-316.

- Sun X, Luo Y. 2001. Pollen records of the last 280 ka from deep sea sediments of the northern South China Sea. *Science in China (Series D)* **44**: 879-888.
- Sun X, Luo Y, Huang F, Tian J, Wang P. 2003. Deep-sea pollen from the South China Sea: Pleistocene indicators of East Asian monsoon. *Marine Geology* **201**: 97-118.
- Sweller S. 2001. *Vegetational and Climatic Changes during the last 40,000 years at Burruga Swamp, Barrington Tops, NSW*. MSc thesis, University of New South Wales.
- Sweller S, Martin HA. 1997. History of the Vegetation at Burruga Swamp, Barrington Tops National Park, Upper Hunter River Region, New South Wales. *Proceedings of the Linnean Society of New South Wales* **118**: 23-50.
- Sweller S, Martin HA. 2001. A 40,000 year vegetation history and climatic interpretations of Burruga Swamp, Barrington Tops, New South Wales. *Quaternary International* **83-85**: 233-244.
- Thevenon F, Bard E, Williamson D, Beaufort L. 2004. A biomass burning record from the West Equatorial Pacific over the last 360 ky: methodological, climatic and anthropic implications. *Palaeogeography, Palaeoclimatology and Palaeoecology* **213**: 83-89.
- Thiede J. 1979. Wind regimes over the late Quaternary southwest Pacific Ocean. *Geology* **7**: 259-262.
- Torgersen T, Luly J, De Deckker P, Jones MR, Searle DE, Chivas AR, Ullman WJ. 1988. Late Quaternary Environments of the Carpentaria Basin, Australia. *Palaeogeography, Palaeoclimatology, Palaeoecology* **67**: 245-261.
- Turney CSM, Kershaw AP, Clemens S, Branch N, Moss PT, Fifield LK. 2004. Millennial and orbital variations in El Niño/Southern Oscillation and high latitude climate in the last glacial period. *Nature* **428**: 306-310.
- Turney CSM, Kershaw AP, Moss P, Bird MI, Fifield LK, Cresswell RG, Santos GM, di Tada ML, Hausladen PA, Youping Z. 2001. Redating the onset of burning at Lynch's Crater (North Queensland): implications for human settlement in Australia. *Journal of Quaternary Science* **16**: 767-771.
- van der Geer G, Heusser LE, Lynch-Stieglitz J, Charles CD. 1994. Palaeoenvironments of Tasmania inferred from a 5-75 ka marine pollen record. *Palynology* **18**: 33-40.
- van der Kaars S. 1991. Palynological Aspects of Site 767 in the Celebes Sea. In *Proceedings of the Ocean Drilling Program, Scientific Results, Volume 124.*, Silver EA, Rangin, C., von Breyman, M. T., et al. (eds). Ocean Drilling Program: College Station, TX
- van der Kaars WA, Dam MAC. 1995. A 135,000-year record of vegetational and climatic change from the Bandung area, West-Java, Indonesia. *Palaeogeography, Palaeoclimatology, Palaeoecology* **117**: 55-72.
- van der Kaars WA, Dam R. 1997. Vegetation and climate change in West Java, Indonesia during the last 135,000 years. *Quaternary International* **37**: 67-71.
- van der Kaars WA, De Deckker P. 2002. A late Quaternary pollen record from deep-sea core Fr10/95-GC17 offshore Cape Range Peninsula, northwestern Western Australia. *Review of Palaeobotany and Palynology* **120**: 17-39.

- van der Kaars WA, Wang X, Kershaw AP, Guichard F, Setiabudi DA. 2000. Late Quaternary palaeoecological record from the Banda Sea, Indonesia: patterns of vegetation, climate and biomass burning in Indonesia and northern Australia. *Palaeogeography, Palaeoclimatology, Palaeoecology* **155**: 135-153.
- Vandergoes MJ. 2000. *A high resolution record of Late Quaternary vegetation and climate change, south Westland, New Zealand*. PhD thesis, University of Otago.
- Vandergoes MJ, Newnham RM, Preusser F, Hendy CH, Lowell TV, Fitzsimons SJ, Hogg AG, Kasper HU, Schlüchter C. 2005. Regional insolation forcing of late Quaternary climate change in the Southern Hemisphere. *Nature* **436**: 242-245.
- Wang P, Tian J, Cheng X. 2001. Transition of Quaternary glacial cyclicity in deep-sea records at Nansha, the South China Sea. *Science in China (Series D)* **44**: 926-933.
- Wang X, van der Kaars S, Kershaw AP, Bird M, Jansen F. 1999. A record of vegetation and climate through the last three glacial cycles from Lombok Ridge core G6-4, eastern Indian Ocean, Indonesia. *Palaeogeography, Palaeoclimatology, Palaeoecology* **147**: 241-256.
- Wells P, Okada H. 1997. Response of nanoplankton to major changes in sea-surface temperature and movements of hydrological fronts over Site DSDP 594 (south Chatham rise, southeastern New Zealand), during the last 130 kyr. *Marine Micropaleontology* **32**: 341-363.
- Williams NJ. 2005. *The environmental reconstruction of the last glacial cycle at Redhead Lagoon, coastal eastern New South Wales, Australia*. PhD thesis, The University of Sydney.
- Williams NJ, Harle KJ, Gale SJ, Heijnis H. 2006. The vegetation history of the last glacial–interglacial cycle in eastern New South Wales, Australia. *Journal of Quaternary Science* **21**: 735-750.
- Wright IC, McGlone MS, Nelson CS, Pillans BJ. 1995. An Integrated Latest Quaternary (Stage 3 to Present) Palaeoclimatic and Paleoceanographic Record From Offshore Northern New Zealand. *Quaternary Research* **44**: 283-293.
- Zaklinskaya ED. 1978. Palynological Information from Late Pliocene-Pleistocene deposits recovered by deep-sea drilling in the region of the island of Timor. *Review of Palaeobotany and Palynology* **26**: 227-241.
- Zheng Z, Lei Z-Q. 1999. A 400,000 year record of vegetational and climatic changes from a volcanic basin, Leizhou Peninsula, southern China. *Palaeogeography, Palaeoclimatology, Palaeoecology* **145**: 339-362.